

speciesname	<i>Adenophora lilifolia</i>	fajnév	illatos csengettyűvirág
melléklet	II	speciescode	4068

2.2 Published sources and/or websites

Range

2.3.1 Surface range of the species in km ²	479
2.3.2 Date of range determination	1990-2006
2.3.3 Quality of data concerning range	Good e.g based on extensive surveys
2.3.4 Range trend	Stable (=)
2.3.5 Range trend magnitude in km ² (optional)	
2.3.6 Range trend period	1990-2006

2.3.7 range-reasons

Improved knowledge/more accurate data
Indirect anthropo(zoo)genic influence
Natural processes

and/or specify

Population

2.4.1 Population size estimation (minimum)	180
2.4.1 Population size estimation (maximum)	180
2.4.1 Population units	Number of individuals
2.4.2 Date of population estimation	2004-2006
2.4.3 Population-methods	From comprehensive inventory
2.4.4 Quality of population data	Good e.g based on ext
2.4.5 Population trend	Stable (=)
2.4.6 Population trend magnitude (km ²)	
2.4.7 Population trend period	1990-2006

2.4.8 Population-reasons

Improved knowledge/more accurate data
Indirect anthropo(zoo)genic influence
Natural processes

and/or specify

2.4.10 Population-pressures

950 Biocenotic evolution
976 - damage by game species
979 - other forms or mixed forms of interspecific floral competition
990 Other natural processes

2.4.11 Population-threats

950 Biocenotic evolution
976 - damage by game species
979 - other forms or mixed forms of interspecific floral competition
990 Other natural processes

Habitat

2.5.1 Habitats for the species	6410
2.5.2 Area estimation (km ²)	0,1
2.5.3 Date of estimation	2004-2206
2.5.4 Quality of the data	Moderate e.g. based on partial data with s
2.5.5 Trend of the habitat	Decreasing (-)
2.5.6 Trend period	1990-2006

2.5.7 Habitat-reasons

Indirect anthropo(zoo)genic influence
Natural processes

Other (specify)

speciesname	<i>Adenophora lilifolia</i>	fajnév	illatos csengettyűvirág
melléklet	II	speciescode	4068

Reference values

<i>2.6 Future prospects for the species</i>	Poor prospects - species likely to struggle
<i>2.7.1 Favourable reference range (km2)</i>	479
<i>Qualifier</i>	
<i>2.7.2 Favourable reference population</i>	1000
<i>Qualifier</i>	
<i>2.7.3 Suitable habitat for the species</i>	0,3
<i>2.7.4 Other relevant information (optional)</i>	


Conclusions

<i>Conclusions: (2.3) Range</i>	Favourable (FV)
<i>Conclusions: (2.4) Population</i>	Bad and deteriorating (U2-)
<i>Conclusions: (2.5) Habitat for the species</i>	Inadequate but improving (U1+)
<i>Conclusions: (2.6) Future prospects</i>	Inadequate (U1)
<i>Conclusions: Overall assessment</i>	Inadequate and deteriorating (U1-)



Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez
2007.

Csengettyűvirág (*Aldenophora liliifolia*)

II., IV. melléklet



Jelmagyarázat

-  Elterjedés (range)
-  Kiterjedés (distribution)

