

speciesname *Paeonia officinalis ssp. Banati* fajnév **bánáti bazsarózsa**

melléklet **II** speciescode **2097**

## 2.2 Published sources and/or websites

Dr. Kevey B.- Tóth I. Zs.- Márkus A. (2005): A bánáti bazsarózsa fajmegőrzési terve, Természetvédelmi Hivatal  
Kevey B. (1990): Déldunántúl természeti értékei 1. Fokozottan védett növények. – Dél-Dunántúli Környezetvédelmi és Vízügyi Igazgatóság, Pécs, 52 p.  
Soó R. (1960): What is Paeonia banatica Rochel?. – Acta Bot. Hung. 6: 139-141.  
Tóth I. Zs. (2002): A Kelet-Mecsek Tájvédelmi Körzetben és közvetlen környékén megfigyelt védett növények III. (2000-2001). – Folia Comloensis 11: 111-123.

## Range

2.3.1 Surface range of the species in km<sup>2</sup> 300  
2.3.2 Date of range determination 2006  
2.3.3 Quality of data concerning range Good e.g based on extensive surveys  
2.3.4 Range trend Stable (=)  
2.3.5 Range trend magnitude in km<sup>2</sup> (optional)  
2.3.6 Range trend period 1996-2006  
2.3.7 range-reasons 

Not applicable
----------------

  
and/or specify

## Population

2.4.1 Population size estimation (minimum) 100000  
2.4.1 Population size estimation (maximum) 160000  
2.4.1 Population units Number of individuals  
2.4.2 Date of population estimation 2006  
2.4.3 Population-methods 

Extrapolation from surveys of part of the population or from sampling
---

  
2.4.4 Quality of population data Good e.g based on ext  
2.4.5 Population trend Stable (=)  
2.4.6 Population trend magnitude (km<sup>2</sup>)  
2.4.7 Population trend period 1996-2006  
2.4.8 Population-reasons 

Not applicable
----------------

  
and/or specify  
2.4.10 Population-pressures 

101 - modification of cultivation practices
110 Use of pesticides
180 Burning
950 Biocenotic evolution

  
2.4.11 Population-threats 

101 - modification of cultivation practices
110 Use of pesticides
180 Burning
622 - walking, horseriding and non-motorised vehicles
623 - motorised vehicles
950 Biocenotic evolution

## Habitat

2.5.1 Habitats for the species 91M0, 91H0, 91G0  
2.5.2 Area estimation (km<sup>2</sup>) 7,25  
2.5.3 Date of estimation 2006  
2.5.4 Quality of the data Good e.g based on extensive surveys  
2.5.5 Trend of the habitat Stable (=)  
2.5.6 Trend period 1996-2006  
2.5.7 Habitat-reasons 

Not applicable
----------------

  
Other (specify)

speciesname	<b><i>Paeonia officinalis ssp. Banati</i></b>	fajnév	<b>bánáti bazsarózsa</b>
melléklet	<b>II</b>	speciescode	<b>2097</b>

---

### ***Reference values***

<b><i>2.6 Future prospects for the species</i></b>	Good prospects - species expected to sur
<b><i>2.7.1 Favourable reference range (km2)</i></b>	300
<b><i>Qualifier</i></b>	
<b><i>2.7.2 Favourable reference population</i></b>	130000
<b><i>Qualifier</i></b>	
<b><i>2.7.3 Suitable habitat for the species</i></b>	35,7
<b><i>2.7.4 Other relevant information (optional)</i></b>	

### ***Conclusions***


<b><i>Conclusions: (2.3) Range</i></b>	Favourable (FV)
<b><i>Conclusions: (2.4) Population</i></b>	Favourable (FV)
<b><i>Conclusions: (2.5) Habitat for the species</i></b>	Favourable (FV)
<b><i>Conclusions: (2.6) Future prospects</i></b>	Favourable (FV)
<b><i>Conclusions: Overall assessment</i></b>	Favourable (FV)





# Térképmelléklet az élőhelyvédelmi irányelv 17. cikke alapján készített országjelentéshez 2007.

**Bánáti bazsarózsa** (*Paeonia officinalis* subsp. *banatica*)

II., IV. melléklet



Jelmagyarázat

-  Elterjedés (range)
-  Kiterjedés (distribution)

